

## WASTE OIL, SPILL, TOOLS & SEALANTS



- PUMPS
- FMS
- METERS
- HOSES
- NOZZLES
- ALARMS
- GAUGES
- FILTERS
- FILL & VENT
- VALVES
- FITTINGS
- TOOLS

ANY FLUID

## Stop it, Soak it & Scrap it with the Envirospill spill kit range

NEW

FEATURED



EnviroSpill

### EnviroSpill Spill Kit Range

All industrial sites where oils, fuels and chemicals are stored, delivered or handled, should have spill control products at hand ready to deal with a spill simply and quickly should they need to.

EnviroSpill spill kits provide you with everything you need in a portable and easy to access bag, perfect for storage in confined storage areas, lorry cabs & work benches.



**Oil** – Suitable for oils, fuels, diesel & petroleum based liquids



**Maintenance** – Suitable for oils, solvents & water based liquids



**Chemical** – Suitable for acids, alkalis, solvents & AdBlue®

### Using your kit to deal with a spill...

› **Stop the spill from spreading any further**

Immediately stop the source of the spill, and then use the **absorbent socks** to contain the spilt fluid and prevent it from spreading any further. When more than one sock is used they should overlap by approximately 30cm to ensure that there is no gap .

**STOP IT**  
SPREADING



› **Absorb the spill**

When the spillage is contained within a confined area, the **absorbent pads** should be laid out on top of the fluid. The pads should be left to absorb the spillage for two to three minutes or until they are fully saturated.

**SOAK IT**  
UP



› **Safe & proper disposal**

All used absorbents should be placed into the **clearly marked disposal bag** and secured using the tie provided. This should then be disposed of correctly in accordance with local waste disposal regulations.

**SCRAP IT**  
PROPERLY



**Ask about our customer branding options**

We can brand the bag insert with your logo and details free of charge, so your customers always know where to go for replacements.





## EnviroSpill Oil Spill Kit

- Spill kit containing everything required to quickly deal with an oil spill in a portable & compact clip close carrier
- For all hydrocarbon based oils, fuels & petroleum based liquids
- Ideal for wherever fuels and oils are stored, delivered & handled
- 2 or 4 spill socks (depending on kit) for absorbing 7.5 litres each
- 5 or 10 spill pads (depending on kit) for absorbing 1.1litres each
- Blue waste bag & tie for proper disposal of used absorbents
- Can be floated on water making them ideal for where water & oil must be separated

| Code       | Description                   | Capacity (l) | Socks | Pads | Disposal Bag & Tie | Fluids     |
|------------|-------------------------------|--------------|-------|------|--------------------|------------|
| SPL-OKT-20 | EnviroSpill Oil Spill Kit 20l | 20           | 2     | 5    | 0                  | D O P K GR |
| SPL-OKT-40 | EnviroSpill Oil Spill Kit 40l | 40           | 4     | 10   | 0                  | D O P K GR |

EnViroSpill

NEW

20 or 40  
Litres

CAPACITY

Oil/Fuel

TYPE



ANY  
FLUID

## EnviroSpill Maintenance Spill Kit

- Spill kit containing everything required to quickly deal with a spill in a portable & compact clip close carrier
- For all industrial fluids, water based liquids, oils & mild chemicals
- A universal kit required by any factory, plant or industrial site
- 2 or 4 spill socks (depending on kit) for absorbing 7.5 litres each
- 5 or 10 spill pads (depending on kit) for absorbing 1.1litres each
- Blue waste bag & tie for proper disposal of used absorbents

| Code       | Description                           | Capacity (l) | Socks | Pads | Disposal Bag & Tie | Fluids |
|------------|---------------------------------------|--------------|-------|------|--------------------|--------|
| SPL-MKT-20 | EnviroSpill Maintenance Spill Kit 20l | 20           | 2     | 5    | 0                  | AF     |
| SPL-MKT-40 | EnviroSpill Maintenance Spill Kit 40l | 40           | 4     | 10   | 0                  | AF     |

EnViroSpill

NEW

20 or 40  
litres

CAPACITY

Maintenance

TYPE



C  
CHEMICAL

AB  
ADBLUE®

## EnviroSpill Chemical Spill Kit

- Spill kit containing everything required to quickly deal with a spill in a portable & compact clip close carrier
- For AdBlue®, chemicals, acids, alkalis & solvents
- Ideal for wherever more aggressive fluids are stored, delivered & handled
- 1 or 2 spill socks (depending on kit) for absorbing 7.5 litres each
- 5 or 10 spill pads (depending on kit) for absorbing 0.5litres each
- Blue waste bag & tie for proper disposal of used absorbents

| Code       | Description                        | Capacity (l) | Socks | Pads | Disposal Bag & Tie | Fluids |
|------------|------------------------------------|--------------|-------|------|--------------------|--------|
| SPL-CKT-10 | EnviroSpill Chemical Spill Kit 10l | 10           | 1     | 5    | 0                  | C AB   |
| SPL-CKT-20 | EnviroSpill Chemical Spill Kit 20l | 20           | 2     | 10   | 0                  | C AB   |

EnViroSpill

NEW

10 or 20  
litres

CAPACITY

Chemical

TYPE



**NEW**



**EnviroSpill**

**120 litres**

CAPACITY

**Oil/Fuel**

TYPE



## EnviroSpill Eco Oil Absorbent Pads

- › Box of 200 spill pads designed as a simple & cost effective solution for dealing with an oil spill
- › For all hydrocarbon based oils, fuels & petroleum based liquids
- › Open structure, melt blown polypropylene construction
- › Absorb 0.6litres each - total box capacity is 120litres
- › Ideal for wherever fuels and oils are stored, delivered & handled
- › Can be floated on water making them ideal for where water & oil must be separated

| Code          | Description                    | Pad Capacity (l) | Pads | Box Capacity (l) | Fluids     |
|---------------|--------------------------------|------------------|------|------------------|------------|
| SPL-EOPKT-200 | EnviroSpill Eco Oil Spill Pads | 0.6              | 200  | 120              | D O P K GR |

**NEW**



**EnviroSpill**

**120 litres**

CAPACITY

**Oil/Fuel**

TYPE



## EnviroSpill Oil Absorbent Pads

- › Box of 200 spill pads designed as a durable solution for dealing with an oil spill
- › For all hydrocarbon based oils, fuels & petroleum based liquids
- › Dimpled & bonded for extra strength so it to be used as a wipe
- › Close bonded polypropylene with low-linting cover stock on both sides
- › Absorb 0.6litres each - total box capacity is 120litres
- › Ideal for wherever fuels and oils are stored, delivered & handled
- › Can be floated on water making them ideal for where water & oil must be separated

| Code         | Description                | Pad Capacity (l) | Pads | Box Capacity (l) | Fluids     |
|--------------|----------------------------|------------------|------|------------------|------------|
| SPL-OPKT-200 | EnviroSpill Oil Spill Pads | 0.6              | 200  | 120              | D O P K GR |

**NEW**



**EnviroSpill**

**100 litres**

CAPACITY

**Maintenance**

TYPE

**ANY FLUID**

## EnviroSpill Maintenance Absorbent Pads

- › Box of 200 spill pads designed as a durable solution for dealing with a spill
- › For all industrial fluids, water based liquids, oils & mild chemicals
- › Dimpled & bonded for extra strength so it to be used as a wipe
- › Close bonded polypropylene with low-linting cover stock on both sides
- › Absorb 0.5litres each - total box capacity is 100litres
- › Universal pads required by any factory, plant or industrial site

| Code         | Description                        | Pad Capacity (l) | Pads | Box Capacity (l) | Fluids |
|--------------|------------------------------------|------------------|------|------------------|--------|
| SPL-MPKT-200 | EnviroSpill Maintenance Spill Pads | 0.5              | 200  | 100              | AF     |

PUMPS  
FMS  
METERS  
HOSES  
NOZZLES  
ALARMS  
GAUGES  
FILTERS  
FILL & VENT  
VALVES  
FITTINGS  
TOOLS

ANY FLUID

## EnviroSpill Drum Pallet

- Drum pallet for complying with oil storage regs & containing any spills to avoid any slip hazards or damage to the environment
- Sump can hold the contents of a 205litre drum in the event of a leak or rupture
- Forklift lifting points for easy manoeuvring
- Self-locating grates lift off for quick clean up
- Polyethylene construction resistant to chemicals & acids
- Options designed for holding 2 or 4 drums

EnviroSpill

250 or 284 litres

CAPACITY

Maintenance

TYPE

NEW



| Code         | Description                     | Drum Number | Sump Capacity (l) | Dimensions (mm)   | Fluids |
|--------------|---------------------------------|-------------|-------------------|-------------------|--------|
| SPL-PLT205-2 | Envirospill 2 Drum Spill Pallet | 2           | 250               | 1245 x 635 x 457  | AF     |
| SPL-PLT205-4 | Envirospill 4 Drum Spill Pallet | 4           | 284               | 1245 x 1245 x 260 | AF     |

ANY FLUID

## EnviroSpill Spill Bins

- Portable two-wheeled, hinged lid bin containing everything required to quickly deal with a spill
- Ideal when a quantity of absorbents need to be taken to a spill site
- Oil only & maintenance versions for any fluids available in 120l & 240l
- 5 or 7 spill socks & 4 or 10 spill pillows (depending on kit)
- 60 or 150 spill pads (depending on kit)
- Blue waste bags & ties for proper disposal of used absorbents

EnviroSpill

120 or 240 litres

CAPACITY

Oil/Maintenance

TYPE

NEW



| Code              | Description                            | Capacity (l) | Socks | Pads | Pillows | Disposal Bag & Tie | Fluids     |
|-------------------|--|--------------|-------|------|---------|--------------------|------------|
| SPL-BIN-120-OIL   | Envirospill Oil Spill Bin 120l         | 120          | 5     | 60   | 4       | 5                  | D O P K GR |
| SPL-BIN-240-OIL   | Envirospill Oil Spill Bin 240l         | 240          | 7     | 150  | 10      | 12                 | D O P K GR |
| SPL-BIN-120-MAINT | Envirospill Maintenance Spill Bin 120l | 120          | 5     | 60   | 4       | 5                  | AF         |
| SPL-BIN-240-MAINT | Envirospill Maintenance Spill Bin 240l | 240          | 7     | 150  | 10      | 12                 | AF         |



## Oil Gator Spill Absorbent Granules

- Absorbent granules designed for spreading over an oil spill
- For all hydrocarbon based oils, fuels & petroleum based liquids
- Encapsulates 2-6 times its weight
- Ideal for wherever fuels and oils are stored, delivered & handled
- Available in a number of sizes depending upon the requirement

14kg

MAX SIZE

Oil/Fuel

TYPE



| Code      | Description                        | Container | Size | Fluids     |
|-----------|------------------------------------|-----------|------|------------|
| OILGAT14B | Oil Gator Spill Granules 14kg Bag  | Bag       | 14kg | D O P K GR |
| OILGAT2P  | Oil Gator Spill Granules 2kg Pail  | Pail      | 2kg  | D O P K GR |
| OILGAT5P  | Oil Gator Spill Granules 5kg Pail  | Pail      | 5kg  | D O P K GR |
| OILGAT14P | Oil Gator Spill Granules 14kg Pail | Pail      | 14kg | D O P K GR |



PUMPS

FMS

METERS

HOSES

NOZZLES

ALARMS

GAUGES

FILTERS

FILL &amp; VENT

VALVES

FITTINGS

TOOLS



## Standard

RATIO



## Standard PTFE Tape

- > PTFE tape for sealing joints & pipework with course threads
- > Cost effective solution popular with engineers
- > 12m rolls with white plastic cover

| Code   | Description | Roll | Colour | Fluids    |
|--------|-------------|------|--------|-----------|
| SR7009 | PTFE Tape   | 12m  | White  | D O P K W |

NEW



## Approx. 9:1

RATIO



## Nine-2-One PTFE Tape

- > Unstretched PTFE tape for sealing pipework with course threads
- > Approx. 9:1 usage ratio compared to standard PTFE
- > Due to less layers of tape being required it does not bunch & you can back off the fitting
- > 15m rolls with purple plastic cover

| Code   | Description            | Roll | Colour | Fluids      |
|--------|------------------------|------|--------|-------------|
| CTS921 | Nine-2-One Deluxe PTFE | 15m  | Purple | D O P K W C |



## 3-5 Layers

USAGE



## Emergency Repair Tape

- > Emergency repair tape for leaking oil lines, hoses & water pipes
- > Typical use 3-5 layers; bonds quicker the tighter it is stretched
- > Takes seconds to bond & approx. 1-2 mins to permanently seal
- > Works on dirty, oily & wet surfaces & is resistant against UV rays

| Code   | Description           | Temperature | Colour | Fluids      |
|--------|-----------------------|-------------|--------|-------------|
| SR7013 | Emergency Repair Tape | -65°C/260°C | Black  | D O P K W C |



## Medium

STRENGTH



## Heldite Joining Compound

- > For sealing & securing bolted, flanged or screwed pipe/thread joints
- > Water-proof, anti-corrosive & suitable for most fluids
- > Available in 250ml tin c/w brush applicator or 7ml bottle

| Code    | Description   | Size       | Colour | Temperature | Fluids      |
|---------|---------------|------------|--------|-------------|-------------|
| CTS1808 | Heldite 250ml | 250ml Tin  | Brown  | -40°C/350°C | D O P K W C |
| CTS1810 | Heldite 7ml   | 7ml Bottle | Brown  | -40°C/350°C | D O P K W C |